







Thule Rapid System Kit 1152

> Instructions

LEXUS IS 200, 4-dr Sedan, 99-05

LEXUS IS 300, 4-dr Sedan, 00-05

TOYOTA Altezza, 4-dr Sedan, 99-05



ISO 11154-E


141152

C.20130617
519-1152-01

Bring your life
thule.com



23 x2




284 x2



x1

24 x2






285 x2



x1

1

	X (scale)	X (mm)	X (inch)
LEXUS IS 200 , 4-dr Sedan, 99-05	33	981	38 ⁵ / ₈
LEXUS IS 300 , 4-dr Sedan, 00-05	33	981	38 ⁵ / ₈
TOYOTA Altezza , 4-dr Sedan, 99-05	33	981	38 ⁵ / ₈





	Y (scale)	Y (mm)	Y (inch)
LEXUS IS 200 , 4-dr Sedan, 99-05	31,5	966	38
LEXUS IS 300 , 4-dr Sedan, 00-05	31,5	966	38
TOYOTA Altezza , 4-dr Sedan, 99-05	31,5	966	38

2


LEXUS IS 200, 4-dr Sedan, 99-05

LEXUS IS 300, 4-dr Sedan, 00-05

TOYOTA Altezza, 4-dr Sedan, 99-05



3



	W (mm)	Z (mm)	W (inch)	Z (inch)
LEXUS IS 200 , 4-dr Sedan, 99-05	170	700	6 ³ / ₄	27 ¹ / ₂
LEXUS IS 300 , 4-dr Sedan, 00-05	170	700	6 ³ / ₄	27 ¹ / ₂
TOYOTA Altezza , 4-dr Sedan, 99-05	170	700	6 ³ / ₄	27 ¹ / ₂

